

USC Creative Work example

```

<?xml version="1.0" encoding="UTF-8"?>
<collection xmlns="http://www.loc.gov/MARC21/slim"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.loc.gov/MARC21/slim
http://www.loc.gov/standards/marcxml/schema/MARC21slim.xsd">
  <record>
    <leader>00000nam a22000002a 4500</leader>
    <controlfield tag="008"> 20uu|||| |001
0|eng d </controlfield>
<!-- Title -->
    <datafield tag="245" ind1="1" ind2="0">
      <subfield code="a">TITLE</subfield>
    </datafield>
<!-- First Author NR -->
    <datafield tag="100" ind1="1" ind2=" ">
      <subfield code="a">AUTHOR SURNAME,
INITIAL</subfield>
      <subfield code="u">AUTHOR AFFILIATION</subfield>
    </datafield>
<!-- 2nd author -->
    <datafield tag="700" ind1="1" ind2=" ">
      <subfield code="a">SECOND AUTHOR SURNAME,
INITIAL</subfield>
      <subfield code="u">SECOND AUTHOR
AFFILIATION</subfield>
    </datafield>
<!-- Summary -->
    <datafield tag="520" ind1=" " ind2=" ">
      <subfield code="a">ABSTRACT TEXT</subfield>

```

```

        </datafield>
        <datafield tag="500" ind1=" "
ind2=" ">
            <subfield code="a">ADDITIONAL
NOTES</subfield>
        </datafield>
<!--Publication details: If there is both a publisher and a
distributor, always enter the publisher in the first instance of the
"b" subfield -->
        <datafield tag="260" ind1=" " ind2=" ">
            <subfield code="a">PLACE OF PUBLICATION</subfield>
            <subfield code="b">PUBLISHER OR
DISTRIBUTOR</subfield>
            <subfield code="c">YEAR</subfield>
        </datafield>
        <datafield ind1="0" ind2="8" tag="773">
            <subfield code="n">REFEREED 1-YES 0-NO</subfield>
        </datafield>
<!-- ISBN -->
        <datafield tag="020" ind1=" " ind2=" ">
            <subfield code="a">ISBN</subfield>
        </datafield>
        <!-- Alternative location URL; Format subfield q=format--
>
        <datafield tag="856" ind1="4" ind2="0">
            <subfield code="u">ALTERNATIVE URL</subfield>
        </datafield>
        <!-- Keyword -->
        <datafield tag="653" ind1=" " ind2=" ">
            <subfield code="a">KEYWORD</subfield>
        </datafield>
        <datafield ind1=" " ind2=" " tag="650">

```

```

    <subfield code="a">FoR </subfield>
  </datafield>

  <!-- Resource Type -->

  <datafield tag="655" ind1=" " ind2="7">

    <subfield code="a">Original Creative Work (Textual
Work)</subfield>

  </datafield>

  <datafield ind1=" " ind2=" " tag="596">

    <subfield code="a">DEST CODE - USE ONLY IF REPORTED BY
OFFICE OF RESEARCH FOR HERDC</subfield>

  </datafield>

  <datafield ind1="0" ind2=" " tag="041">

    <subfield code="a">eng</subfield>

  </datafield>

  <datafield ind1="0" ind2=" " tag="546">

    <subfield code="a">eng</subfield>

  </datafield>

  <datafield ind1=" " ind2=" " tag="095">

    <subfield code="a">FILE MAKER PRO ID</subfield>

  </datafield>

</record>

</collection>

```